


A. Biodistribution of  $^{111}\text{In}$ -IMP241 in mice pretargeted with BS14HP, BS1.5H or hMN-14 x 679 Fab' x Fab'



B. Tumor/non-tumor ratios of  $^{111}\text{In}$ -IMP241 in mice pretargeted with BS14HP, BS1.5H or hMN-14 x 679 Fab' x Fab'

	BS14HP	hMN-14 x 679	BS1.5H
Liver	36.19 ( $\pm 18.8$ )	22.2 ( $\pm 6.3$ )	120.00 ( $\pm 36.0$ )
Spleen	57.39 ( $\pm 46.0$ )	27.8 ( $\pm 5.9$ )	181.00 ( $\pm 58.0$ )
Kidney	6.7 (0.7 $\pm$ )	2.50 ( $\pm 0.5$ )	2.98 ( $\pm 1.1$ )
Lungs	29.94 ( $\pm 15.6$ )	14.10 ( $\pm 2.8$ )	48.60 ( $\pm 19.3$ )
Blood	20.32 ( $\pm 34.7$ )	8.10 ( $\pm 2.1$ )	284.00 ( $\pm 50.6$ )
Stomach	123.12 ( $\pm 242.0$ )	103.00 ( $\pm 15.2$ )	530.00 ( $\pm 291.7$ )
Sm. Intestine	78.95 ( $\pm 55.0$ )	53.40 ( $\pm 14.4$ )	235.00 ( $\pm 138.7$ )
Lg. Intestine	80.94 ( $\pm 26.7$ )	37.40 ( $\pm 9.2$ )	61.20 ( $\pm 33.2$ )

Figure 8



## Size Exclusion HPLC Analysis




Figure 5